ELSEVIER

Materials Science and Engineering A196 (1995) v

MATERIALS SCIENCE & ENGINEERING A

Contents

Effect of composition on crystallographic texture of hot-rolled Al–Li binary alloys 1
A.K. Vasudévan (Arlington, VA, USA), M.A. Przystupa (Los Angeles, CA, USA) and W.G. Fricke, Jr. (Alcoa Center, PA, USA)

Fracture behavior of directionally solidified NiAl–Mo and NiAl–V eutectics 9
S.M. Joslin, X.F. Chen, B.F. Oliver (Knoxville, TN, USA) and R.D. Noebe (Cleveland, OH, USA)

Biaxial path-dependence of low-cycle fatigue behaviour and microstructure of alloy 800 H at room temperature 19
F. Jiao, W. Österle, P.D. Portella and J. Ziebs (Berlin, Germany)

High temperature deformation and rupture in SiC–C composites 25
C.H,. Weber, K.T. Kim, F.E. Heredia and A.G. Evans (Santa Barbara, CA, USA)

Microstructure and compression behaviour in the semisolid state of short-fibre-reinforced A356 aluminium alloys 33
L. Nguyen Thanh and M. Suéry (St. Martin d'Hères, France)

Cyclic deformation features in high purity titanium bicrystals 45
T. Xiaoli, G. Haicheng (Xi'an, People's Republic of China) and W. Zhongguang (Shengyang, People's Republic of China)

Finite element method simulations for two-phase material plastic strains 53
R.E. Bolmaro (Rosario, Argentina), R.V. Browning, F.M. Guerra (Los Alamos, NM, USA) and A.D. Rollett (Los Alamos, NM, USA)

Mechanical properties of $(\alpha+\beta)$-titanium alloy at cryogenic temperatures 65
O.M. Ivasishin, P.E. Markovsky, G.A. Pakharenko and A.V. Shevchenko (Kien, Ukraine)

The tensile properties of hot-rolled $(Al_2O_3)_p$–Al composites 71
J.C. Lee and K.N. Subramanian (East Lansing, MI, USA)

A new method to quantify the Portevin–Le Chatelier instabilities: application to aluminium–lithium alloys 79
B. Wack and A. Tourabi (Grenoble, France)

Effects of dynamic and metadynamic recrystallization on microstructures of wrought IN-718 due to hot deformation 89
L.X. Zhou and T. N. Baker (Glasgow, UK)

The effect of grain size on the microstructural evolution of copper deformed in rolling 97
J.J. Gracio (Aveiro, Portugal)

Application of nanocrystalline materials as matrices of composites: processing and performance advantages 105
S. Bose (East Hartford, CT, USA)

The effect of large oxygen additions on the wettability and work of adhesion of copper–oxygen alloys on polycrystalline alumina. 111
A. Meier, M.D. Baldwin, P.R. Chidambaram and G.R. Edwards (Golden, CO, USA)

Local interface response to dislocation strain fields at the Al/SiO_2 and Al/C boundary region 119
E.D. McCarty and S.A. Hackney (Houghton, MI, USA)

On the 45° embrittlement of tungsten sheets. 129
J. Neges, H.P. Stüwe (Leoben, Austria), B. Ortner (Leoben, Austria) and G. Leichtfried (Reutte, Austria)

Study of the damage mechanisms in an OSPREY™ Al alloy–SiC_p composite by scanning electron microscope in situ tensile tests 135
E. Maire, C. Verdu, G. Lormand, R. Fougères (Villeurbanne, France)

Effect of laser processing parameters on the structure of ductile iron 145
S.P. Gadag, M.N. Srinivasan (Bangalore, India) and B.L. Mordike (Clausthal, Germany)

The microstructure of CO_2 laser welds in an Al–Fe–V–Si alloy 155
I.R. Whitaker and D.G. McCartney (Nottingham, UK)

C_p measurements around the martensitic transformation temperature of a CuAlNi alloy 165
Q. Jiang, J.C. Li and J. Tong (Changchun, People's Republic of China)

Annealing laser-melted ductile iron by pulsed Nd:YAG laser radiation 171
H.M. Wang (Beijing, China) and H.W. Bergmann (Erlangen, Germany)

Influence of thermal cycling on the reversible martensitic transformation in a Cu–Al–Ni shape memory alloy 177
M. Morin and F. Trivero (Villeurbanne, France)

An exploratory study of producing non-silicate all-oxide composites by melt infiltration 183
W.B. Hillig and H.C. McGuigan (Schenectady, USA)

Effect of alkali metal impurities and cerium modification on the fatigue behaviour of 8090 alloy sheets 191
L. Meng, X. Zheng and L. Tian (Xi'an, Shannxi, China)

Thermal cycling response and oxidation behavior of Al_2O_3/NiAl composites with interfacial Mo coating. 197
A.K. Misra (Brook Park, OH, USA) and R.R. Bowman (Cleveland, OH, USA)

Carbide and hydride formation during mechanical alloying of titanium and aluminium with hexane. 205
J. Keskinen, J. Rubin, P. Ruuskanen (Tampere, Finland) and A. Pogany (Melbourne, Australia)

Correlation between phase transformation and stress evolution in nitrogen-implanted iron 213
J. Jagielski (Warsaw, Poland), S. Fayuelle (Ecully, France) and G. Marest, N. Moncoffre (Villeurbanne, France)

Influence of microstructures and particle concentrations on the development of extrusion textures in metal matrix composites . . 219
A. Poudens, B. Bacroix (Villetaneuse, France) and T. Bretheau (Palaiseau, France)

Xenon ion induced atomic transport through aluminum–nitride interfaces 229
J. Sun, W. Bolse, K.P. Lieb (Göttingen, Germany) and A. Traverse (Orsay, France)

Differences in the glass-forming ability of rapidly solidified and mechanically alloyed Ti–Ni–Cu alloys 237
B.S. Murty (Kharagpur, India) and M. Mohan Rao, S. Ranganathan (Bangalore, India)

Microstructure and electrochemical behavior of laser cladded Fe–Cr–Mo–Si–N surface alloys on carbon steel 243
C.-C. Huang, W.-T. Tsai and J.-T. Lee (Tainan, Taiwan)

Thermal expansion anisotropy in hot-pressed SiC-whisker-reinforced alumina composites 249
P.F. Becher, C.-H. Hsueh, S.B. Waters (Oak Ridge, TN, USA)

Microstructures of laser-treated Al_2O_3–ZrO_2–CeO_2 composites 253
Z.-H. Chen, N.-J. Ho and P. Shen (Kaohsiung, Taiwan)

An experimental study on the influence of shear on the flow behavior, spontaneous crystallization, microstructure and mechanical properties of a fluorophlogopite glass-ceramic. 261
L. Heymann, E. Noak and L. Kaempfe (Chemnitz, Germany)

AUTHOR INDEX 275

SUBJECT INDEX 277

LETTER

Dislocation line energies and tensions of iron aluminides and iron silicides L1
H. Rösner and E. Nembach (Münster, Germany)